



England

Notes

- Value cells have a box shaded Red, Amber or Green to show significance compared to England, or where the value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; recent trend refers to the analysis done in the Fingertips tool which tests for a statistical trend. This is currently only available for certain indicator types, full details are available in the tool.
- Increases or decreases are only shown if they are statistically significant. An upwards arrow (either Red, Green or blue) represents a significant increase in the indicator value, a downwards arrow (either Red, Green or blue) represents a significant decrease. A sideways arrow (Amber) is displayed if there has been no significant change. Indicators that are shaded blue rather than Red/Amber/Green are presented in this way because it is not straightforward to determine for these indicators whether a high value is good or bad.
- Statistically significant changes highlighted in the change from prev column have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant. Changes in the recent trend column are calculated using a chi-squared statistical test for trend.
- Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator. Certain indicator types have not yet been included in the recent trend analysis.
- The arrows are coloured Green and Red for those indicators where a change can be described as improving or worsening respectively.

England

Indicators at a glance

Key

Significance compared to goal / England average:

■ Significantly worse	■ Significantly lower
■ Not significantly different	■ Significantly higher
■ Significantly better	□ Significance not tested

↑ Increasing / Getting worse
↓ Decreasing / Getting worse
↑ Increasing
→ No significant change

↑ Increasing / Getting better
↓ Decreasing / Getting better
↓ Decreasing
- Could not be calculated

Overarching indicators

	Period	Local value	Unit	Change from prev	Recent Trend
0.1i - Healthy life expectancy at birth (Male)	2013 - 15	63.4	Years	→	-
0.1i - Healthy life expectancy at birth (Female)	2013 - 15	64.1	Years	→	-
0.1ii - Life expectancy at birth (Male)	2013 - 15	79.5	Years	→	-
0.1ii - Life expectancy at birth (Female)	2013 - 15	83.1	Years	→	-
0.1ii - Life expectancy at 65 (Male)	2013 - 15	18.7	Years	→	-
0.1ii - Life expectancy at 65 (Female)	2013 - 15	21.1	Years	→	-
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2013 - 15	9.2	Years	→	-
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2013 - 15	7.1	Years	→	-
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)	2013 - 15	83		→	-
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)	2013 - 15	55		→	-
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2013 - 15		Years	-	-
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2013 - 15		Years	-	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2013 - 15	0.0	Years	-	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2013 - 15	0.0	Years	-	-
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2013 - 15	18.9	Years	→	-
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2013 - 15	19.6	Years	→	-
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male)	2009 - 13	-	Years	-	-
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female)	2009 - 13	-	Years	-	-
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2013 - 15		Years	-	-
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2013 - 15		Years	-	-

Wider determinants of health

	Period	Local value	Unit	Change from prev	Recent Trend
1.01i - Children in low income families (all dependent children under 20)	2014	19.9	%	↑	↓

	Period	Local value	Unit	Change from prev	Recent Trend
1.01ii - Children in low income families (under 16s)	2014	20.1	%	↑	↓
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Persons)	2015/16	69.3	%	↑	-
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Male)	2015/16	62.1	%	↑	-
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Female)	2015/16	76.8	%	↑	-
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Persons)	2015/16	54.4	%	↑	-
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Male)	2015/16	45.8	%	↑	-
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Female)	2015/16	63.5	%	↑	-
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons)	2015/16	80.5	%	↑	↑
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male)	2015/16	76.9	%	↑	-
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female)	2015/16	84.3	%	↑	-
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons)	2015/16	68.6	%	↑	↑
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male)	2015/16	63.6	%	↑	-
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female)	2015/16	74.0	%	↑	-
1.03 - Pupil absence	2015/16	4.57	%	↓	↓
1.04 - First time entrants to the youth justice system	2016	327.1	per 100,000	↓	↓
1.05 - 16-18 year olds not in education employment or training	2015	4.2	%	↓	↓
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2015/16	75.4	%	↑	↑
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male)	2015/16	74.9	%	↑	↑
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female)	2015/16	75.6	%	↑	↑
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2015/16	58.6	%	↓	-
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2015/16	57.4	%	↓	-
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2015/16	60.0	%	↓	-
1.07 - People in prison who have a mental illness or a significant mental illness - current method	2016/17	9.24	%	↑	-
1.07 - People in prison who have a mental illness or a significant mental illness - historic method	2013/14	5.55	%	↑	-
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2015/16	29.6		→	-
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Persons)	2015/16	68.1		↑	-
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Male)	2015/16	73.0		↑	-
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Female)	2015/16	63.6		↑	-
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Persons)	2015/16	67.2		↑	-
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Male)	2015/16	73.7		↑	-

England

Wider determinants of health continued

	Period	Local value		Unit	Change from prev	Recent Trend
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Female)	2015/16	60.8			↑	-
1.08iv - Percentage of people aged 16-64 in employment (Persons)	2015/16	73.9	%		↑	↑
1.08iv - Percentage of people aged 16-64 in employment (Male)	2015/16	79.2	%		↑	↑
1.08iv - Percentage of people aged 16-64 in employment (Female)	2015/16	68.8	%		↑	↑
1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week	2013 - 15	2.2	%		↓	-
1.09ii - Sickness absence - the percent of working days lost due to sickness absence	2013 - 15	1.3	%		↓	-
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2013 - 15	38.5	per 100,000		↓	-
1.11 - Domestic abuse-related incidents and crimes - current method	2015/16	22.1	per 1000		-	-
1.11 - Domestic abuse - historic method	2014/15	20.4	per 1000		↑	-
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2013/14 - 15/16	44.8	per 100,000		↓	-
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2015/16	17.2	per 1000		↑	↑
1.12iii - Violent crime (including sexual violence) - rate of sexual offences per 1,000 population	2015/16	1.7	per 1000		↑	↑
1.13i - Re-offending levels - percentage of offenders who re-offend	2014	25.4	%		↓	↓
1.13ii - Re-offending levels - average number of re-offences per offender	2014	0.82	per offender		→	↑
1.13iii - First time offenders	2016	218.4	per 100,000		↓	-
1.14i - The rate of complaints about noise	2014/15	7.1 ^	per 1000		↓	↓
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.2	%		-	-
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	8.0	%		-	-
1.15i - Statutory homelessness - Eligible homeless people not in priority need	2015/16	0.9	per 1000		↓	↓
1.15ii - Statutory homelessness - households in temporary accommodation	2015/16	3	per 1000		↑	↑
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2015 - Feb 2016	17.9	%		→	-
1.17 - Fuel poverty	2014	10.6	%		-	-
1.18i - Social Isolation: percentage of adult social care users who have as much social contact as they would like	2015/16	45.4	%		→	-
1.18ii - Social Isolation: percentage of adult carers who have as much social contact as they would like	2014/15	38.5	%		-	-

Health improvement

	Period	Local value		Unit	Change from prev	Recent Trend
2.01 - Low birth weight of term babies	2015	2.8	%		↓	↓
2.02i - Breastfeeding - breastfeeding initiation	2014/15	74.3	%		↑	↑
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method	2015/16	43.2 ^	%		-	-
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method	2014/15	43.8	%		↓	↓
2.03 - Smoking status at time of delivery	2015/16	10.6 \$	%		↓	↓
2.04 - Under 18 conceptions	2015	20.8	per 1000		↓	↓
2.04 - Under 18 conceptions: conceptions in those aged under 16	2015	3.7	per 1000		↓	↓
2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review	2015/16	81.3 ^	%		-	-
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2015/16	22.1	%		↑	↓
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2015/16	34.2	%		↑	↑
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2015/16	104.2	per 10,000		↓	↓

Note: ^ - Value estimated, \$ - Data quality note

Health improvement continued

	Period	Local value	Unit	Change from prev	Recent Trend
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2015/16	129.6	per 10,000	↓	↓
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2015/16	134.1	per 10,000	→	↓
2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March	2015/16	14.0		-	-
2.08ii - Percentage of children where there is a cause for concern	2015/16	37.8		-	-
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey)	2014/15	8.2	%	-	-
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey)	2014/15	5.5	%	-	-
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey)	2014/15	2.7	%	-	-
2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014	8	%	→	-
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014	5	%	↓	-
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm	2015/16	196.5	per 100,000	↑	-
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	2015	52.3	%	↓	-
2.11ii - Average number of portions of fruit consumed daily (adults)	2015	2.51		↓	-
2.11iii - Average number of portions of vegetables consumed daily (adults)	2015	2.27		→	-
2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15	2014/15	52.4	%	-	-
2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey)	2014/15	2.39	Average daily quantity	-	-
2.11vi - Average number of portions of vegetables consumed daily at age 15 (WAY survey)	2014/15	2.40	Average daily quantity	-	-
2.12 - Excess weight in Adults	2013 - 15	64.8	%	→	-
2.13i - Percentage of physically active and inactive adults - active adults	2015	57.0	%	→	-
2.13ii - Percentage of physically active and inactive adults - inactive adults	2015	28.7	%	↑	-
2.14 - Smoking Prevalence in adults - current smokers (APS)	2016	15.5	%	↓	-
2.15i - Successful completion of drug treatment - opiate users	2015	6.7	%	↓	↓
2.15ii - Successful completion of drug treatment - non-opiate users	2015	37.3	%	↓	↑
2.15iii - Successful completion of alcohol treatment	2015	38.4	%	→	↑
2.15iv - Deaths from drug misuse	2013 - 15	3.9	per 100,000	↑	-
2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	2015/16	30.3	%	-	-
2.17 - Recorded diabetes	2014/15	6.4	%	↑	↑
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2015/16	647	per 100,000	↑	-
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2015/16	830	per 100,000	↑	-
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2015/16	483	per 100,000	↑	-
2.19 - Cancer diagnosed at early stage (experimental statistics)	2015	52.4	%	↑	-
2.20i - Cancer screening coverage - breast cancer	2016	75.5	%	↑	↓
2.20ii - Cancer screening coverage - cervical cancer	2016	72.7	%	↓	↓
2.20iii - Cancer screening coverage - bowel cancer	2016	57.9	%	↑	-
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage	2015/16	79.9	%	↑	-
2.20v - Diabetic eye screening - uptake	2015/16	83.0	%	→	-
2.20vii - Infectious Diseases in Pregnancy Screening - HIV Coverage	2015/16	99.1	%	↑	-
2.20viii - Infectious Diseases in Pregnancy Screening - Syphilis Coverage	2014	97.4	%	↓	-
2.20ix - Infectious Diseases in Pregnancy Screening - Hepatitis B Coverage	2014	97.4	%	↓	-
2.20x - Sickle Cell and Thalasassaemia Screening - Coverage	2015/16	99.1	%	↑	-
2.20xi - Newborn Blood Spot Screening - Coverage	2015/16	95.6 ~	%	↓	-
2.20xii - Newborn Hearing Screening - Coverage	2015/16	98.7	%	↑	-
2.20xiii - Newborn and Infant Physical Examination Screening - Coverage	2015/16	94.9	%	↑	-

Note: ~ - Aggregated from all known lower geography values

England

Health improvement continued

	Period	Local value	Unit	Change from prev	Recent Trend
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	2013/14 - 16/17	74.1	%	-	-
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14 - 16/17	48.9	%	-	-
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	2013/14 - 16/17	36.2	%	-	-
2.23i - Self-reported wellbeing - people with a low satisfaction score	2015/16	4.6	%	→	-
2.23ii - Self-reported wellbeing - people with a low worthwhile score	2015/16	3.6	%	→	-
2.23iii - Self-reported wellbeing - people with a low happiness score	2015/16	8.8	%	→	-
2.23iv - Self-reported wellbeing - people with a high anxiety score	2015/16	19.4	%	→	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Persons)	2015/16	2169	per 100,000	↓	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Male)	2015/16	1733	per 100,000	→	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Female)	2015/16	2471	per 100,000	↓	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Persons)	2015/16	1012	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Male)	2015/16	825	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Female)	2015/16	1177	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Persons)	2015/16	5526	per 100,000	↓	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Male)	2015/16	4367	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Female)	2015/16	6223	per 100,000	↓	-

Health protection

	Period	Local value	Unit	Change from prev	Recent Trend
3.01 - Fraction of mortality attributable to particulate air pollution	2015	4.7	%	-	-
3.02 - Chlamydia detection rate (15-24 year olds) < 1900 1900 to 2300 ≥ 2300	2016	1882	per 100,000	↓	↓
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2016	1269	per 100,000	↓	↓
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2016	2479	per 100,000	↓	↓
3.03i - Population vaccination coverage - Hepatitis B (1 year old)	2015/16	- x	%	-	-
3.03i - Population vaccination coverage - Hepatitis B (2 years old)	2015/16	- x	%	-	-
3.03ii - Population vaccination coverage - BCG - areas offering universal BCG only	2015/16	- x	%	-	-
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) < 90 90 to 95 ≥ 95	2015/16	93.6	%	↓	↓
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) < 90 90 to 95 ≥ 95	2015/16	95.2	%	↓	↓
3.03iv - Population vaccination coverage - MenC < 90 90 to 95 ≥ 95	2015/16	- x	%	-	-
3.03v - Population vaccination coverage - PCV < 90 90 to 95 ≥ 95	2015/16	93.5	%	↓	↓
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) < 90 90 to 95 ≥ 95	2015/16	91.6	%	↓	↓
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) < 90 90 to 95 ≥ 95	2015/16	92.6	%	↑	↑
3.03vii - Population vaccination coverage - PCV booster < 90 90 to 95 ≥ 95	2015/16	91.5	%	↓	↑

Note: x - Value Missing

www.phoutcomes.info

Health protection continued

	Period	Local value	Unit	Change from prev	Recent Trend
3.03viii - Population vaccination coverage - MMR for one dose (2 years old) < 90 90 to 95 ≥ 95	2015/16	91.9	%	↓	↑
3.03ix - Population vaccination coverage - MMR for one dose (5 years old) < 90 90 to 95 ≥ 95	2015/16	94.8	%	↑	↑
3.03x - Population vaccination coverage - MMR for two doses (5 years old) < 90 90 to 95 ≥ 95	2015/16	88.2	%	↓	↑
3.03xii - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old) < 80 80 to 90 ≥ 90	2015/16	87.0	%	↓	-
3.03xiii - Population vaccination coverage - PPV < 65 65 to 75 ≥ 75	2015/16	70.1	%	↑	↑
3.03xiv - Population vaccination coverage - Flu (aged 65+) < 75 ≥ 75	2016/17	70.5	%	↓	↓
3.03xv - Population vaccination coverage - Flu (at risk individuals) < 55 ≥ 55	2016/17	48.6	%	↑	↓
3.03xvi - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old) < 80 80 to 90 ≥ 90	2015/16	85.1	%	-	-
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old) < 50 50 to 60 ≥ 60	2015/16	54.9	%	↓	-
3.03xviii - Population vaccination coverage - Flu (2-4 years old) < 40 40 to 65 ≥ 65	2016/17	38.1	%	↑	-
3.04 - HIV late diagnosis < 25 25 to 50 ≥ 50	2013 - 15	40.1	%	↓	-
3.05i - Treatment completion for TB < 50th-percentile ≥50th to <90th ≥90th	2014	84.4	%	→	↑
3.05ii - Incidence of TB > 50th-percentile <50th to >10th < 10th	2013 - 15	12.0	per 100,000	↓	-
3.06 - NHS organisations with a board approved sustainable development management plan	2015/16	66.2	%	↑	↓
3.08 - Adjusted antibiotic prescribing in primary care by the NHS < mean England prescribing (2013/14) > mean England prescribing (2013/14)	2016	1.08	per STAR-PU	↓	-

Healthcare and premature mortality

	Period	Local value	Unit	Change from prev	Recent Trend
4.01 - Infant mortality	2013 - 15	3.9	per 1000	→	-
4.02 - Proportion of five year old children free from dental decay	2014/15	75.4	%	↑	-
4.03 - Mortality rate from causes considered preventable (Persons)	2013 - 15	184.5	per 100,000	→	-
4.03 - Mortality rate from causes considered preventable (Male)	2013 - 15	232.5	per 100,000	→	-
4.03 - Mortality rate from causes considered preventable (Female)	2013 - 15	139.6	per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2013 - 15	74.6	per 100,000	↓	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2013 - 15	104.7	per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2013 - 15	46.2	per 100,000	→	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2013 - 15	48.1	per 100,000	↓	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2013 - 15	72.5	per 100,000	↓	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2013 - 15	25.0	per 100,000	→	-
4.05i - Under 75 mortality rate from cancer (Persons)	2013 - 15	138.8	per 100,000	↓	-
4.05i - Under 75 mortality rate from cancer (Male)	2013 - 15	154.8	per 100,000	↓	-
4.05i - Under 75 mortality rate from cancer (Female)	2013 - 15	123.9	per 100,000	↓	-
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2013 - 15	81.1	per 100,000	↓	-
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2013 - 15	88.4	per 100,000	↓	-

England

Healthcare and premature mortality continued

	Period	Local value	Unit	Change from prev	Recent Trend
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2013 - 15	74.5	per 100,000	↓	-
4.06i - Under 75 mortality rate from liver disease (Persons)	2013 - 15	18.0	per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease (Male)	2013 - 15	23.7	per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease (Female)	2013 - 15	12.5	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2013 - 15	15.9	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2013 - 15	21.4	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2013 - 15	10.6	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2013 - 15	33.1	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Male)	2013 - 15	38.5	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Female)	2013 - 15	28.0	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2013 - 15	18.1	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2013 - 15	20.3	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2013 - 15	16.1	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons)	2013 - 15	10.5	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male)	2013 - 15	11.5	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female)	2013 - 15	9.6	per 100,000	→	-
4.09i - Excess under 75 mortality rate in adults with serious mental illness	2014/15	370.0		↑	-
4.09ii - Proportion of adults in the population in contact with secondary mental health services	2014/15	5.4	%	↑	-
4.10 - Suicide rate (Persons)	2013 - 15	10.1	per 100,000	→	-
4.10 - Suicide rate (Male)	2013 - 15	15.8	per 100,000	→	-
4.10 - Suicide rate (Female)	2013 - 15	4.7	per 100,000	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	11.8	%	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	12.1	%	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	11.5	%	→	-
4.12i - Preventable sight loss - age related macular degeneration (AMD)	2015/16	114.0	per 100,000	→	↓
4.12ii - Preventable sight loss - glaucoma	2015/16	12.8	per 100,000	→	→
4.12iii - Preventable sight loss - diabetic eye disease	2015/16	2.9	per 100,000	→	↓
4.12iv - Preventable sight loss - sight loss certifications	2015/16	41.9	per 100,000	→	↓
4.13 - Health related quality of life for older people	2015/16	0.733		→	-
4.14i - Hip fractures in people aged 65 and over (Persons)	2015/16	589	per 100,000	→	-
4.14i - Hip fractures in people aged 65 and over (Male)	2015/16	416	per 100,000	→	-
4.14i - Hip fractures in people aged 65 and over (Female)	2015/16	710	per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Persons)	2015/16	244	per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male)	2015/16	168	per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Female)	2015/16	311	per 100,000	→	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons)	2015/16	1591	per 100,000	↓	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male)	2015/16	1136	per 100,000	→	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female)	2015/16	1868	per 100,000	→	-
4.15i - Excess winter deaths index (single year, all ages) (Persons)	Aug 2014 - Jul 2015	27.7		↑	-
4.15i - Excess winter deaths index (single year, all ages) (Male)	Aug 2014 - Jul 2015	23.6		↑	-
4.15i - Excess winter deaths index (single year, all ages) (Female)	Aug 2014 - Jul 2015	31.6		↑	-
4.15ii - Excess winter deaths index (single year, age 85+) (Persons)	Aug 2014 - Jul 2015	40.1		↑	-

Healthcare and premature mortality continued

	Period	Local value	Unit	Change from prev	Recent Trend
4.15ii - Excess winter deaths index (single year, age 85+) (Male)	Aug 2014 - Jul 2015	36.3		↑	-
4.15ii - Excess winter deaths index (single year, age 85+) (Female)	Aug 2014 - Jul 2015	42.4		↑	-
4.15iii - Excess winter deaths index (3 years, all ages) (Persons)	Aug 2012 - Jul 2015	19.6		↑	-
4.15iii - Excess winter deaths index (3 years, all ages) (Male)	Aug 2012 - Jul 2015	16.6		↑	-
4.15iii - Excess winter deaths index (3 years, all ages) (Female)	Aug 2012 - Jul 2015	22.4		↑	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Persons)	Aug 2012 - Jul 2015	28.2		↑	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Male)	Aug 2012 - Jul 2015	26.5		↑	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Female)	Aug 2012 - Jul 2015	29.2		↑	-
4.16 - Estimated dementia diagnosis rate (aged 65+)	2017	67.9	%	-	-
≥ 66.7% (significantly) similar to 66.7% < 66.7% (significantly)					